

SONE BARRAGE GATE REPORT

DATE	TIME	LEFT BANK-1 HR-1 GATE LEVEL (cm.)	LEFT BANK-1 HR-2 GATE LEVEL (cm.)	LEFTBANK-1 HR-3 GATE LEVEL (cm.)	LEFTBANK-1 HR-4 GATE LEVEL (cm.)	LEFTBANK-1 HR-5 GATE LEVEL (cm.)	LEFTBANK-1 HR-6 GATE LEVEL (cm.)	LEFTBANK-1 HR-7 GATE LEVEL (cm.)
02-Aug-20	6:00:00 AM	22	25	21	22	22	22	23
02-Aug-20	7:00:00 AM	22	25	21	22	22	22	23
02-Aug-20	8:00:00 AM	22	25	21	22	22	22	23
02-Aug-20	9:00:00 AM	22	25	21	22	22	22	23
02-Aug-20	10:00:00 AM	22	25	21	22	22	22	23
DATE	TIME	LEFT BANK-2 HR-1 GATE LEVEL (cm.)	LEFT BANK-2 HR-2 GATE LEVEL (cm.)	LEFTBANK-2 HR-3 GATE LEVEL (cm.)	LEFTBANK-2 HR-4 GATE LEVEL (cm.)	LEFTBANK-2 HR-5 GATE LEVEL (cm.)	LEFTBANK-2 HR-6 GATE LEVEL (cm.)	LEFTBANK-2 HR-7 GATE LEVEL (cm.)
02-Aug-20	6:00:00 AM	0	36	0	35	0	0	35
02-Aug-20	7:00:00 AM	0	36	0	35	0	0	35
02-Aug-20	8:00:00 AM	0	36	0	35	0	0	35
02-Aug-20	9:00:00 AM	0	36	0	35	0	0	35
02-Aug-20	10:00:00 AM	0	36	0	35	0	0	35
DATE	TIME	RIGHT BANK HR-1 GATE LEVEL(cm.)	RIGHT BANK HR-2 GATE LEVEL(cm.)	RIGHT BANK HR-3 GATE LEVEL(cm.)	RIGHT BANK HR-4 GATE LEVEL(cm.)			
02-Aug-20	6:00:00 AM	110	260	110	110			
02-Aug-20	7:00:00 AM	110	260	110	110			
02-Aug-20	8:00:00 AM	110	260	110	110			
02-Aug-20	9:00:00 AM	110	260	110	110			
02-Aug-20	10:00:00 AM	110	260	110	110			
DATE	TIME	LEFT UNDER SLUICE-1 GATE LEVEL(cm.)	LEFT UNDER SLUICE-2 GATE LEVEL(cm.)	LEFT UNDER SLUICE-3 GATE LEVEL(cm.)	LEFT UNDER SLUICE-4 GATE LEVEL(cm.)	LEFT UNDER SLUICE-5 GATE LEVEL(cm.)		
02-Aug-20	6:00:00 AM	100	100	100	50	0		
02-Aug-20	7:00:00 AM	100	100	100	50	0		
02-Aug-20	8:00:00 AM	100	100	100	50	0		
02-Aug-20	9:00:00 AM	100	100	100	50	0		
02-Aug-20	10:00:00 AM	100	100	100	50	0		

DATE	TIME	RIGHT UNDER SLUICE-1 GATE LEVEL(cm.)	RIGHT UNDER SLUICE-2 GATE LEVEL(cm.)	RIGHT UNDER SLUICE-3 GATE LEVEL(cm.)	RIGHT UNDER SLUICE-4 GATE LEVEL(cm.)	
02-Aug-20	6:00:00 AM	0	100	100	100	
02-Aug-20	7:00:00 AM	0	100	100	100	
02-Aug-20	8:00:00 AM	0	100	100	100	
02-Aug-20	9:00:00 AM	0	100	100	100	
02-Aug-20	10:00:00 AM	0	100	100	100	
DATE	TIME	SPILLWAY-1 GATE LEVEL(cm.)	SPILLWAY-2 GATE LEVEL(cm.)	SPILLWAY-3 GATE LEVEL(cm.)	SPILLWAY-4 GATE LEVEL(cm.)	SPILLWAY-5 GATE LEVEL(cm.)
02-Aug-20	6:00:00 AM	0	0	0	0	0
02-Aug-20	7:00:00 AM	0	0	0	0	0
02-Aug-20	8:00:00 AM	0	0	0	0	0
02-Aug-20	9:00:00 AM	0	0	0	0	0
02-Aug-20	10:00:00 AM	0	0	0	0	0
DATE	TIME	SPILLWAY-6 GATE LEVEL(cm.)	SPILLWAY-7 GATE LEVEL(cm.)	SPILLWAY-8 GATE LEVEL(cm.)	SPILLWAY-9 GATE LEVEL(cm.)	SPILLWAY-10 GATE LEVEL(cm.)
02-Aug-20	6:00:00 AM	0	50	0	0	0
02-Aug-20	7:00:00 AM	0	50	0	0	0
02-Aug-20	8:00:00 AM	0	50	0	0	0
02-Aug-20	9:00:00 AM	0	50	0	0	0
02-Aug-20	10:00:00 AM	0	50	0	0	0
DATE	TIME	SPILLWAY-11 GATE LEVEL(cm.)	SPILLWAY-12 GATE LEVEL(cm.)	SPILLWAY-13 GATE LEVEL(cm.)	SPILLWAY-14 GATE LEVEL(cm.)	SPILLWAY-15 GATE LEVEL(cm.)
02-Aug-20	6:00:00 AM	0	0	0	0	0
02-Aug-20	7:00:00 AM	0	0	0	0	0
02-Aug-20	8:00:00 AM	0	0	0	0	0
02-Aug-20	9:00:00 AM	0	0	0	0	0
02-Aug-20	10:00:00 AM	0	0	0	0	0
DATE	TIME	SPILLWAY-16 GATE LEVEL(cm.)	SPILLWAY-17 GATE LEVEL(cm.)	SPILLWAY-18 GATE LEVEL(cm.)	SPILLWAY-19 GATE LEVEL(cm.)	SPILLWAY-20 GATE LEVEL(cm.)
02-Aug-20	6:00:00 AM	0	0	0	60	0
02-Aug-20	7:00:00 AM	0	0	0	60	0
02-Aug-20	8:00:00 AM	0	0	0	60	0
02-Aug-20	9:00:00 AM	0	0	0	60	0
02-Aug-20	10:00:00 AM	0	0	0	60	0

DATE	TIME	SPILLWAY-21 GATE LEVEL(cm.)	SPILLWAY-22 GATE LEVEL(cm.)	SPILLWAY-23 GATE LEVEL(cm.)	SPILLWAY-24 GATE LEVEL(cm.)	SPILLWAY-25 GATE LEVEL(cm.)
02-Aug-20	6:00:00 AM	0	100	0	100	0
02-Aug-20	7:00:00 AM	0	100	0	100	0
02-Aug-20	8:00:00 AM	0	100	0	100	0
02-Aug-20	9:00:00 AM	0	100	0	100	0
02-Aug-20	10:00:00 AM	0	100	0	100	0
DATE	TIME	SPILLWAY-26 GATE LEVEL(cm.)	SPILLWAY-27 GATE LEVEL(cm.)	SPILLWAY-28 GATE LEVEL(cm.)	SPILLWAY-29 GATE LEVEL(cm.)	SPILLWAY-30 GATE LEVEL(cm.)
02-Aug-20	6:00:00 AM	0	0	0	0	0
02-Aug-20	7:00:00 AM	0	0	0	0	0
02-Aug-20	8:00:00 AM	0	0	0	0	0
02-Aug-20	9:00:00 AM	0	0	0	0	0
02-Aug-20	10:00:00 AM	0	0	0	0	0
DATE	TIME	SPILLWAY-31 GATE LEVEL(cm.)	SPILLWAY-32 GATE LEVEL(cm.)	SPILLWAY-33 GATE LEVEL(cm.)	SPILLWAY-34 GATE LEVEL(cm.)	SPILLWAY-35 GATE LEVEL(cm.)
02-Aug-20	6:00:00 AM	0	0	0	0	0
02-Aug-20	7:00:00 AM	0	0	0	0	0
02-Aug-20	8:00:00 AM	0	0	0	0	0
02-Aug-20	9:00:00 AM	0	0	0	0	0
02-Aug-20	10:00:00 AM	0	0	0	0	0
DATE	TIME	SPILLWAY-36 GATE LEVEL(cm.)	SPILLWAY-37 GATE LEVEL(cm.)	SPILLWAY-38 GATE LEVEL(cm.)	SPILLWAY-39 GATE LEVEL(cm.)	SPILLWAY-40 GATE LEVEL(cm.)
02-Aug-20	6:00:00 AM	0	0	0	0	0
02-Aug-20	7:00:00 AM	0	0	0	0	0
02-Aug-20	8:00:00 AM	0	0	0	0	0
02-Aug-20	9:00:00 AM	0	0	0	0	0
02-Aug-20	10:00:00 AM	0	0	0	0	0
DATE	TIME	SPILLWAY-41 GATE LEVEL(cm.)	SPILLWAY-42 GATE LEVEL(cm.)	SPILLWAY-43 GATE LEVEL(cm.)	SPILLWAY-44 GATE LEVEL(cm.)	SPILLWAY-45 GATE LEVEL(cm.)
02-Aug-20	6:00:00 AM	0	0	0	0	0
02-Aug-20	7:00:00 AM	0	0	0	0	0
02-Aug-20	8:00:00 AM	0	0	0	0	0
02-Aug-20	9:00:00 AM	0	0	0	0	0
02-Aug-20	10:00:00 AM	0	0	0	0	0

DATE	TIME	SPILLWAY-46 GATE LEVEL(cm.)	SPILLWAY-47 GATE LEVEL(cm.)	SPILLWAY-48 GATE LEVEL(cm.)	SPILLWAY-49 GATE LEVEL(cm.)	SPILLWAY-50 GATE LEVEL(cm.)
02-Aug-20	6:00:00 AM	0	0	0	0	0
02-Aug-20	7:00:00 AM	0	0	0	0	0
02-Aug-20	8:00:00 AM	0	0	0	0	0
02-Aug-20	9:00:00 AM	0	0	0	0	0
02-Aug-20	10:00:00 AM	0	0	0	0	0
DATE	TIME	SPILLWAY-51 GATE LEVEL(cm.)	SPILLWAY-52 GATE LEVEL(cm.)	SPILLWAY-53 GATE LEVEL(cm.)	SPILLWAY-54 GATE LEVEL(cm.)	SPILLWAY-55 GATE LEVEL(cm.)
02-Aug-20	6:00:00 AM	0	0	0	0	0
02-Aug-20	7:00:00 AM	0	0	0	0	0
02-Aug-20	8:00:00 AM	0	0	0	0	0
02-Aug-20	9:00:00 AM	0	0	0	0	0
02-Aug-20	10:00:00 AM	0	0	0	0	0
DATE	TIME	SPILLWAY-56 GATE LEVEL(cm.)	SPILLWAY-57 GATE LEVEL(cm.)	SPILLWAY-58 GATE LEVEL(cm.)	SPILLWAY-59 GATE LEVEL(cm.)	SPILLWAY-60 GATE LEVEL(cm.)
02-Aug-20	6:00:00 AM	0	0	0	0	0
02-Aug-20	7:00:00 AM	0	0	0	0	0
02-Aug-20	8:00:00 AM	0	0	0	0	0
02-Aug-20	9:00:00 AM	0	0	0	0	0
02-Aug-20	10:00:00 AM	0	0	0	0	0

SONE BARRAGE DISCHARGE REPORT

DATE	TIME	UP STREAM WATER LEVEL (ft.)	DOWN STREAM WATER LEVEL (ft.)	LEFT BANK	RIGHT BANK	UNDER SLUICE	SPILLWAY	TOTAL DISCHARGE
02-Aug-20	6:00:00 AM	355	336.8	3507	3359	20151	9093	36110
02-Aug-20	7:00:00 AM	355	336.9	3507	3359	20151	9093	36110
02-Aug-20	8:00:00 AM	355	336.6	3507	3359	20151	9093	36110
02-Aug-20	9:00:00 AM	355	336.6	3507	3359	20151	9093	36110
02-Aug-20	10:00:00 AM	355	336.7	3507	3359	20151	9066	36083