

SONE BARRAGE GATE REPORT

DATE	TIME	LEFT BANK-1 HR-1 GATE LEVEL (cm.)	LEFT BANK-1 HR-2 GATE LEVEL (cm.)	LEFTBANK-1 HR-3 GATE LEVEL (cm.)	LEFTBANK-1 HR-4 GATE LEVEL (cm.)	LEFTBANK-1 HR-5 GATE LEVEL (cm.)	LEFTBANK-1 HR-6 GATE LEVEL (cm.)	LEFTBANK-1 HR-7 GATE LEVEL (cm.)
14-Jul-20	6:00:00 AM	29	25	27	25	25	25	0
14-Jul-20	7:00:00 AM	33	30	32	29	29	25	0
14-Jul-20	8:00:00 AM	33	30	32	29	29	25	0
14-Jul-20	9:00:00 AM	33	33	32	33	35	32	0
14-Jul-20	10:00:00 AM	33	33	32	33	35	32	0
DATE	TIME	LEFT BANK-2 HR-1 GATE LEVEL (cm.)	LEFT BANK-2 HR-2 GATE LEVEL (cm.)	LEFTBANK-2 HR-3 GATE LEVEL (cm.)	LEFTBANK-2 HR-4 GATE LEVEL (cm.)	LEFTBANK-2 HR-5 GATE LEVEL (cm.)	LEFTBANK-2 HR-6 GATE LEVEL (cm.)	LEFTBANK-2 HR-7 GATE LEVEL (cm.)
14-Jul-20	6:00:00 AM	135	136	145	145	145	144	144
14-Jul-20	7:00:00 AM	162	161	162	166	164	164	165
14-Jul-20	8:00:00 AM	162	161	162	166	164	164	165
14-Jul-20	9:00:00 AM	174	178	180	175	180	178	181
14-Jul-20	10:00:00 AM	174	178	180	175	180	178	181
DATE	TIME	RIGHT BANK HR-1 GATE LEVEL(cm.)	RIGHT BANK HR-2 GATE LEVEL(cm.)	RIGHT BANK HR-3 GATE LEVEL(cm.)	RIGHT BANK HR-4 GATE LEVEL(cm.)			
14-Jul-20	6:00:00 AM	224	226	227	228			
14-Jul-20	7:00:00 AM	224	226	227	228			
14-Jul-20	8:00:00 AM	224	226	227	228			
14-Jul-20	9:00:00 AM	224	226	227	228			
14-Jul-20	10:00:00 AM	224	226	227	228			
DATE	TIME	LEFT UNDER SLUICE-1 GATE LEVEL(cm.)	LEFT UNDER SLUICE-2 GATE LEVEL(cm.)	LEFT UNDER SLUICE-3 GATE LEVEL(cm.)	LEFT UNDER SLUICE-4 GATE LEVEL(cm.)	LEFT UNDER SLUICE-5 GATE LEVEL(cm.)		
14-Jul-20	6:00:00 AM	100	50	60	60	0		
14-Jul-20	7:00:00 AM	100	50	60	60	0		
14-Jul-20	8:00:00 AM	30	0	60	60	0		
14-Jul-20	9:00:00 AM	30	0	60	60	0		
14-Jul-20	10:00:00 AM	60	0	60	60	0		

DATE	TIME	RIGHT UNDER SLUICE-1 GATE LEVEL(cm.)	RIGHT UNDER SLUICE-2 GATE LEVEL(cm.)	RIGHT UNDER SLUICE-3 GATE LEVEL(cm.)	RIGHT UNDER SLUICE-4 GATE LEVEL(cm.)	
14-Jul-20	6:00:00 AM	0	55	100	100	
14-Jul-20	7:00:00 AM	0	55	50	50	
14-Jul-20	8:00:00 AM	0	55	0	50	
14-Jul-20	9:00:00 AM	0	55	0	50	
14-Jul-20	10:00:00 AM	0	55	0	50	
DATE	TIME	SPILLWAY-1 GATE LEVEL(cm.)	SPILLWAY-2 GATE LEVEL(cm.)	SPILLWAY-3 GATE LEVEL(cm.)	SPILLWAY-4 GATE LEVEL(cm.)	SPILLWAY-5 GATE LEVEL(cm.)
14-Jul-20	6:00:00 AM	0	0	0	50	0
14-Jul-20	7:00:00 AM	0	0	0	50	0
14-Jul-20	8:00:00 AM	0	0	0	50	0
14-Jul-20	9:00:00 AM	0	0	0	50	0
14-Jul-20	10:00:00 AM	0	0	0	50	0
DATE	TIME	SPILLWAY-6 GATE LEVEL(cm.)	SPILLWAY-7 GATE LEVEL(cm.)	SPILLWAY-8 GATE LEVEL(cm.)	SPILLWAY-9 GATE LEVEL(cm.)	SPILLWAY-10 GATE LEVEL(cm.)
14-Jul-20	6:00:00 AM	0	0	0	0	0
14-Jul-20	7:00:00 AM	0	0	0	0	0
14-Jul-20	8:00:00 AM	0	0	0	0	0
14-Jul-20	9:00:00 AM	0	0	0	0	0
14-Jul-20	10:00:00 AM	0	0	0	0	0
DATE	TIME	SPILLWAY-11 GATE LEVEL(cm.)	SPILLWAY-12 GATE LEVEL(cm.)	SPILLWAY-13 GATE LEVEL(cm.)	SPILLWAY-14 GATE LEVEL(cm.)	SPILLWAY-15 GATE LEVEL(cm.)
14-Jul-20	6:00:00 AM	0	0	0	0	0
14-Jul-20	7:00:00 AM	0	0	0	0	0
14-Jul-20	8:00:00 AM	0	0	0	0	0
14-Jul-20	9:00:00 AM	0	0	0	0	0
14-Jul-20	10:00:00 AM	0	0	0	0	0
DATE	TIME	SPILLWAY-16 GATE LEVEL(cm.)	SPILLWAY-17 GATE LEVEL(cm.)	SPILLWAY-18 GATE LEVEL(cm.)	SPILLWAY-19 GATE LEVEL(cm.)	SPILLWAY-20 GATE LEVEL(cm.)
14-Jul-20	6:00:00 AM	0	0	0	0	0
14-Jul-20	7:00:00 AM	0	0	0	0	0
14-Jul-20	8:00:00 AM	0	0	0	0	0
14-Jul-20	9:00:00 AM	0	0	0	0	0
14-Jul-20	10:00:00 AM	0	0	0	0	0

DATE	TIME	SPILLWAY-21 GATE LEVEL(cm.)	SPILLWAY-22 GATE LEVEL(cm.)	SPILLWAY-23 GATE LEVEL(cm.)	SPILLWAY-24 GATE LEVEL(cm.)	SPILLWAY-25 GATE LEVEL(cm.)
14-Jul-20	6:00:00 AM	0	0	0	0	0
14-Jul-20	7:00:00 AM	0	0	0	0	0
14-Jul-20	8:00:00 AM	0	0	0	0	0
14-Jul-20	9:00:00 AM	0	0	0	0	0
14-Jul-20	10:00:00 AM	0	0	0	0	0
DATE	TIME	SPILLWAY-26 GATE LEVEL(cm.)	SPILLWAY-27 GATE LEVEL(cm.)	SPILLWAY-28 GATE LEVEL(cm.)	SPILLWAY-29 GATE LEVEL(cm.)	SPILLWAY-30 GATE LEVEL(cm.)
14-Jul-20	6:00:00 AM	0	0	0	0	0
14-Jul-20	7:00:00 AM	0	0	0	0	0
14-Jul-20	8:00:00 AM	0	0	0	0	0
14-Jul-20	9:00:00 AM	0	0	0	0	0
14-Jul-20	10:00:00 AM	0	0	0	0	0
DATE	TIME	SPILLWAY-31 GATE LEVEL(cm.)	SPILLWAY-32 GATE LEVEL(cm.)	SPILLWAY-33 GATE LEVEL(cm.)	SPILLWAY-34 GATE LEVEL(cm.)	SPILLWAY-35 GATE LEVEL(cm.)
14-Jul-20	6:00:00 AM	0	0	0	0	0
14-Jul-20	7:00:00 AM	0	0	0	0	0
14-Jul-20	8:00:00 AM	0	0	0	0	0
14-Jul-20	9:00:00 AM	0	0	0	0	0
14-Jul-20	10:00:00 AM	0	0	0	0	0
DATE	TIME	SPILLWAY-36 GATE LEVEL(cm.)	SPILLWAY-37 GATE LEVEL(cm.)	SPILLWAY-38 GATE LEVEL(cm.)	SPILLWAY-39 GATE LEVEL(cm.)	SPILLWAY-40 GATE LEVEL(cm.)
14-Jul-20	6:00:00 AM	0	0	0	0	0
14-Jul-20	7:00:00 AM	0	0	0	0	0
14-Jul-20	8:00:00 AM	0	0	0	0	0
14-Jul-20	9:00:00 AM	0	0	0	0	0
14-Jul-20	10:00:00 AM	0	0	0	0	0
DATE	TIME	SPILLWAY-41 GATE LEVEL(cm.)	SPILLWAY-42 GATE LEVEL(cm.)	SPILLWAY-43 GATE LEVEL(cm.)	SPILLWAY-44 GATE LEVEL(cm.)	SPILLWAY-45 GATE LEVEL(cm.)
14-Jul-20	6:00:00 AM	0	0	0	0	50
14-Jul-20	7:00:00 AM	0	0	0	0	25
14-Jul-20	8:00:00 AM	0	0	0	0	25
14-Jul-20	9:00:00 AM	0	0	0	0	25
14-Jul-20	10:00:00 AM	0	0	0	0	50

DATE	TIME	SPILLWAY-46 GATE LEVEL(cm.)	SPILLWAY-47 GATE LEVEL(cm.)	SPILLWAY-48 GATE LEVEL(cm.)	SPILLWAY-49 GATE LEVEL(cm.)	SPILLWAY-50 GATE LEVEL(cm.)
14-Jul-20	6:00:00 AM	0	0	0	50	0
14-Jul-20	7:00:00 AM	0	0	0	50	0
14-Jul-20	8:00:00 AM	0	0	0	50	0
14-Jul-20	9:00:00 AM	0	0	0	50	0
14-Jul-20	10:00:00 AM	0	0	0	50	0
DATE	TIME	SPILLWAY-51 GATE LEVEL(cm.)	SPILLWAY-52 GATE LEVEL(cm.)	SPILLWAY-53 GATE LEVEL(cm.)	SPILLWAY-54 GATE LEVEL(cm.)	SPILLWAY-55 GATE LEVEL(cm.)
14-Jul-20	6:00:00 AM	0	50	0	0	0
14-Jul-20	7:00:00 AM	0	50	0	0	0
14-Jul-20	8:00:00 AM	0	50	0	0	0
14-Jul-20	9:00:00 AM	0	50	0	0	0
14-Jul-20	10:00:00 AM	0	50	0	0	0
DATE	TIME	SPILLWAY-56 GATE LEVEL(cm.)	SPILLWAY-57 GATE LEVEL(cm.)	SPILLWAY-58 GATE LEVEL(cm.)	SPILLWAY-59 GATE LEVEL(cm.)	SPILLWAY-60 GATE LEVEL(cm.)
14-Jul-20	6:00:00 AM	0	0	0	0	0
14-Jul-20	7:00:00 AM	0	0	0	0	0
14-Jul-20	8:00:00 AM	0	0	0	0	0
14-Jul-20	9:00:00 AM	0	0	0	0	0
14-Jul-20	10:00:00 AM	0	0	0	0	0

SONE BARRAGE DISCHARGE REPORT

DATE	TIME	UP STREAM WATER LEVEL (ft.)	DOWN STREAM WATER LEVEL (ft.)	LEFT BANK	RIGHT BANK	UNDER SLUICE	SPILLWAY	TOTAL DISCHARGE
14-Jul-20	6:00:00 AM	355	336.3	7508	4216	16253	5866	33843
14-Jul-20	7:00:00 AM	355	335.6	7926	4216	9910	5170	27222
14-Jul-20	8:00:00 AM	355	335.1	7926	4216	7961	5142	25245
14-Jul-20	9:00:00 AM	355	334.8	8729	4216	7992	5113	26050
14-Jul-20	10:00:00 AM	355	334.8	8731	4216	8887	5952	27786